

Auction - Major Auction of Titan Wheel Off-Road Wheel Manufacturer 12/17/2020 2:54 PM CST

Lot	Title/Description
1	Angle Grinder Model S1M-ZP7-115
2	Angle Grinder Model S1M-ZP7-116
3	Angle Grinder Model S1M-ZP7-117
4	Angle Grinders (2) Model S1M-115
5	Cleco Pneumatic Right Angle Grinder Cleco Pneumatic Heavy Duty Right Angle Grinder
6	Pneumatic Right Angle Grinder Heavy Duty Right Angle Grinder
7	Number and Letter Stamps CH Hanson Steel Stamps
8	Number and Letter Stamps Young Brothers Steel Stamps
9	Miscellaneous Hardware Eyebolts, Pry Bar, Vice Grip, Air Nozzles
10	Metal Shop Table 29" w X 56" l X 36" h
11	Assorted Hammers Brass and Lead Hammers, Pipe Wrench
12	C-Clamps and Allen Keys C-Clamps and Allen Keys
13	Miscellaneous Shop Items Lifting Stamps, Portable Lights, Grease Guns
14	Miscellaneous Electric Cords Miscellaneous Electric Cords
15	Shop Furniture Foreman Desk
16	Portable Fire Extinguisher American La France Model B150A-1 Dry Chemical Extinguisher
17	Barrel of Shovels and Brooms Barrel of Shovels and Brooms
18	Shop Ladder 8' Werner; P-N63379-73370 Lbs. capacity
19	Half Ton Stationary Jib Half Ton HS Jib Crane 9' Arm Length Serial # 960957
20	Fire Proof Paint Cabinet Justrite Tabletop Model Fireproof Cabinet
21	Fire Proof Paint Cabinet Eagle Model 1962 Fireproof Cabinet
22	Pallet Racking Two Sections 33" w X 96" l X 72" h
23	Man Lift Cage Man Lift Cage
24	Metal Gondola Box Metal Gondola Box 38" w X 58" l X 30" h
25	Skid of Material Handling 8 Sheet Lifters, Chain, Spreader Bar
26	Pallet Racking and Material Handling 33" w x 96" l X 88" h 3 Sheet Lifters, Rigging Chains, Straps
27	Warner and Swasey No. 4 Turret Lathe Warner and Swasey No. 4 RAM Type Turret Lathe 12" Four Jaw Chuck
28	Jones and Lamson No. 4 Turret Lathe Jones and Lamson No. 4 Universal Turret Lathe and Lathe Turning Tools 12" Three Jaw Chuck
29	Tool Grinder R-O Tool Grinder serial # 1439C Equipped with: R-O 9" Optical Comparator; 1/2 HP Dual End Grinding Spindle; 8.5" x 25" T Slotted Table; Spare Grinding Head Assembly;
30	Winslow Drill Point Grinder Winslow Model HC Exactamatic Drill Point Grinder Serial # 00229; 1 HP;
31	Hammond Tool Grinder Hammond Model CM-6W Chip Breaker Grinder: Serial # 551; 1/2 HP; 6" Grinding Wheel Capacity; Equipped With Coolant; Compound Radius Attachment;
32	Cincinnati Monoset Tool and Cutter Grinder Cincinnati Monoset Tool and Cutter Grinder: Serial # 1D2T5E-182; 5 1/4" X 36" T Slotted Table; 8" Wheel Capacity; 1HP; Equipped with Royal Oak Universal Form Relieving Fixture: Serial Number 1514765
33	Rotorex Tool Grinder Rotorex Model 100-A Tool Grinder: Serial # 323W; Manufactured by Hunter Engineering Equipped with: Internal Grinding Spindle and Table Mounted Vise; Dual End Pedestal Grinder
34	Rush Tool and Cutter Grinder Rush Model 252 Tool and Cutter Grinder: Serial #1382; New: (6/1989) 1/2HP Spindle Motor; 6" Wheel Diameter; Equipped with: 6 1/2" 6 Jaw Work Holding Chuck; Wheel Dresser; Coolant
35	Two Vises 10" Table Mounted Vise and 5" Starrett Pedestal Mounted Vise

Lot	Title/Description
36	Torch Cart Oxy-Acetylene Torch Cart; NO Tank! Tank NOT Included; Equipped with: One Torch; Two Gauge Heads;
37	Dual Spindle Clousing Gang Type Drill Clousing Dual Spindle Gang Type Drill; Drill Head Model 2286 Serial #'s: 521767 and 521768; 9" Spindle Center Line to Column; Table 24"X79 3/4"; Spindle Speeds: 1530-2000 RPM; HP1.5-.75; Equipped with: Power Feed
38	Torch Cart Oxy-Acetylene Torch Cart: NO Tanks, Tanks Not Included! Equipped with: One Torch; Two Gauge Heads;
39	Black and Decker Electric Drill Black and Decker Electric Drill
40	3' x 11" American Radial Arm Drill 3' x 11" American Radial Arm Drill;Serial #: 76462;(60) Spindle Speeds: 30-1500 RPM;Feeds .004-.025;Equipped with:Push Button Clamp,Coolant,20" X 24" Universal Tilting Box Table,6" Kurt ViseCabinet of Tooling;
41	5' 15" Speedmaster Radial Arm Drill 5' x 15" Speedmaster Radial Arm Drill; Serial: # 231-9; Spindle Speeds: 10-2499 RPM; Feeds .002-2.36; Equipped with: Push Button Column and Head Clamp; Coolant
42	Dual End Pedestal Grinder Duracraft Dual End Pedestal Grinder; Model 200-10; 10" Wheel; 2 HP; Equipped with: Push Button Start; Plexiglass Wheel Guards;
43	Arbor Press and Metal Table Dake 1 1/2 Arbor Press and Metal Table 31" w X 74" l X 38" h
44	Hardness Tester Detroit Testing Machine Model PHL-2 Hardness Tester; Serial #: 292; 17X24 Table; 4" Ram Diameter; 16" Ram Stroke; 5,000 KGS Load on 4 1/4 Inch Diameter Ram;
45	Enco Hardness Tester Enco Model NRS Hardness Tester: Serial #: 86-868; Equipped with: Standard Test Block, V Block, 3 Test Blocks, Brinelle Microscope;
46	Davis Key Seater Davis Key Seater; Serial #: 15-467; Model 15; Equipped with: 15 Pieces of Key Seater Broach Tooling up to 1";
47	VanNorman Universal Mill VanNorman Universal Mill; Model 2R-3; Serial #: 3253-870; 12" X 50" T Slotted Table; 23" of Longitudinal Travel; 12" of Cross Travel; 20" Vertical Travel; Spindle Speeds: 50-1140 RPM; Equipped with: Rotating Universal Vertical Head, Pendant Stop Start, Two Over Arm Supports, Work Light
48	Cincinnati Vertical Mill Cincinnati No. 2 Vertical Mill; Serial #: 4A2V5A-15; 54" X 12" Table; 24" Longitudinal Travel; 10" Cross; 10" Vertical Travel;
49	Milling Accessories and Large Wooden Table Threaded Hold Down Kits, 40 and 50 Taper Tool Holders, Milling Cutter,
50	Grinding Accessories and Shop Rolling Cart Demagnetizer; Radius Wheel Dresser; Axial Relieving Fixture; Suburban Tool Tilting Magnetic Chuck 3 1/4" X 6"; 90 Degree Wheel Dresser;
51	10" Yantai Rotary Table: with 3 Jaw Bison Chuck Tail Stock Indexing Plates 10" Yantai Rotary Table; with 3 Jaw Bison Chuck Tail Stock Indexing Plates
52	10" Fourth Axis Rotary Table M and M Precision Model MM44101REB 4th Axis Rotary Table; Serial #4535 With Tail Stock
53	12" Rotary Table and 12" 3 Jaw Chuck ATA Rotary Table
54	50 CT Tool Holders and Cart #50 CT Tool Holders and Cart (20) Count
55	50 CT Tool Holders #50 CT Tool Holders (14) Count
56	50 CT Tool Holders 50 CT Tool Holders (8) Count
57	Huge Assortment of Carbide Inserts and Turning Tools and Boring Bars Huge Assortment of Carbide Inserts and Turning Tools and Boring Bars; Live Center, Collet Tool Holder, Jacob Chuck and Chuck Keys
58	Rolling Tool Cabinet and Contents Rolling Tool Cabinet and Contents
59	Miscellaneous Perishable Tooling End Mills, Tap, Counterbores, Drills,
60	8" Kurt Milling Vise with Wrench Handle 8" Kurt Milling Vise with Wrench Handle
61	6" Washington Vise With Rotary Swivel Plate 6" Washington Vise With Rotary Swivel Plate; With Wrench Handle
62	6" Kurt Vise with Wrench Handle 6" Kurt Vise with Wrench Handle
63	6" PYH Vise with Rotary Index Plate 6" PYH Vise with Rotary Index Plate

Auction - Major Auction of Titan Wheel Off-Road Wheel Manufacturer 12/17/2020 2:54 PM CST

Lot	Title/Description
64	6 1/2" Vise 6 1/2" Vise
65	DoALL Horizontal Band Saw DoAll Model C-9AV Automatic Horizontal Bandsaw: Serial #297-75190; Blade Width 1"; Blade Length 13'3"; Equipped with: Power Head; Manual Automatic Operation; Equipped with Extra Blade, Work Light, 15' Exit Roller Conveyor, Variable Band Speed, Coolant;
66	Hyd-Mech Automatic Vertical Bandsaw Hyd-Mech Model V-18 Automatic Vertical Bandsaw:Serial #: J0597433;Equipped with:45 Degree Blade Tilt,Hydraulic Vise,Coolant,Automatic Head Advance and Return,Power Head Swivel,Digital Blade Speed and Angle Degree Read Outs;
67	DoALL Vertical Band Saw DoALL Model 2013-B Vertical Bandsaw; Serial #: 457-86298; Bandsaw Length 154"; Bandsaw Width 1/4"; 26"X26" Table; Equipped with: Stock Guard, Stock Pusher, Spare Blades, Work Light
68	28" X 157" Hercules Engine Lathe Hercules Model SPM710 Engine Lathe; New in (1997); Serial #1997486; Swing over Bed: 28"; Swing Over Cross Slide 17.71"; Center Distance: 157"; Working Diameter In Gap 37.9 "; Work Piece Length in Gap 11.8"; Max Weight Max Workpiece Weight fixed Between Centers and Rest 7700 lbs.; Main Spindle Nose Camlock 11; Spindle Bore Diameter 4.13; Spindle Speeds: 8-900 RPM; 4 Stepless Ranges; Longitudinal Feeds: (92) .0011-.16 IPR; Cross Feeds: (92) .00027-.0443 IPR; Metric Threads: (37) 5-80 mm; Whitworth Threads: (70) 160-1 TPI; ModuleThreads: (60) .5-40 Modul; Diametric Pitch Threads: (36) 160-2 DP; Cross Slide Stroke 17"; Tail Stock Quill Diameter 4.13"; Tail Stock Quill Taper: MT6; Tail Stock Quill Stroke: 8.66"; Equipped with:18.5 KW Spindle Motor, 24 1/2" 3 Jaw Chuck, Newall DP7 2 Axis DRO, 2 Three Point Steady Rests, Mimik Model U79-0 Hydraulic Tracer Attachment, 2 22" Face Plates, 15" Face Plate, 24 1/2" Four Jaw Chuck, Cross Slide Mounted Internal Grinding Attachment, Thread Chasing Dial, SEE LOT 105!
69	17" X 24" Shipley Engine Lathe 17" X 24" Shipley Engine Lathe; Serial #: 35328; 17" Swing over Bed; Swing Over Cross Slide 9"; Spindle Speeds: 18-540 RPM; Spindle Bore 1 1/2"; Equipped with:Aloris Tool Post with 4 Tool Holders, Assortment of Collets, Thread Chasing Dial, Two Dial Indicator Stands;
70	10" X 24" Automatic Horizontal Spindle Surface Grinder 10" X 24" Elb Automatic Horizontal Spindle Surface Grinder; Model OW450, Equipped with: Coolant with Magnetic Separator, Braillon Electromagnetic Chuck, Rapid Wheel Head Advance, Table Mounted Wheel Dresser;
71	Fosdick Precision Jig Borer Fosdick Precision Jig Borer; 28" X 56" T Slotted Table; 40" Longitudinal Table Travel; 24" Cross Table Travel;24" Verticle Head Travel, Speeds 30-1800 RPM, Feeds .0005-.015 IPR, Equipped with: Push Button Forward/Reverse Push Button Feed Start Stop, Push Button Saddle and Table Positions, Coolant, Itek 2 Axis DRO, Electric Cabinet,
72	59" Acme Vertical Boring Mill 59" Acme Vertical Boring Mill; 62" Actually Swing; 59" Table Diameter; Table Speeds: 4-165 RPM; Equipped with: Power Ram and Turret Elevation, Power Turret Index, Push Button Table Run and Jog, Side Head, 5 position Turret, Ram Head, 50 HP Motor, Hydraulic System, Electrical Controls, Trabon Lube System;
73	Machinist Tool Cabinet Complete with:Taps, Dies, Counter Bores, Woodruff Key Seat Cutters, Number and Letter Stamps, Wrenches, Gauge Blocks, Tap Extractor Set, Starrett Gauges, Air Tools, End Mills, V Blocks, Shell Mills, Reamers, Roller Bearing Storage Cabinet, Angle Blocks
74	Dual End Pedestal Grinder Baldor Cat 1215W Dual End Pedestal Grinder;Serial Number: X1402247501;2 HP with Wheel Dresser,Lighted Eye Shields,
75	Kalamazoo 8" Belt Sander Kalamazoo 8" Belt Sander, Push Button Stop Start, Extra Belts,
76	Single End Drill Point Grinder and Table Single End Drill Point Grinder and Table
77	A Frame Hydraulic Press A Frame Hydraulic Press; 53" Between Columns; 5 1/2" Ram Diameter; 20" Ram Stroke; Equipped with: Owatonna Tool Hydraulic Unit, 1 1/8 HP;
78	A Frame Hydraulic Press A Frame Hydraulic Press; 34" Between the Columns; 2" Ram Diameter; 12" Ram Stroke; Equipped with: 7 1/2 HP Motor,
79	Caterpillar Forklift 5,000 lbs. Caterpillar Forklift; Model GC25K; Serial #: AT82C-0551; Equipped with: Triple Mast, Side Shift, Propane, Worklights, 54" Fork Length;
80	Hyster Forklift 3,000 lbs. Hyster Forklift;Model H30XL;Serial #: C001B5138G;149" Lift Height;Equipped with:Double Mast,Solid Tire,Foot Pedal Forward and Reverse,Propane,Worklights,48" Fork Length;

Lot	Title/Description
81	One Ton Hoist System One Ton Hoist System; Equipped with Yale Electric Hoist 1 Ton; Push Button Raise/Lower; 15' Left to Right Travel; 25' Longitudinal Travel; Suspended Monorail and Cross Beam;
82	Half Ton Monorail Hoist System Acco Half Ton Monorail Hoist System, Wrightway Electric Hoist, Pendant Control, 15' Monorail,
83	Monorail Hoist System Monorail Hoist System; Equipped with 1/4 Ton CM Lodestar Electric Hoist with Pendant; 15' Monorail;
84	Half Ton Wall Mounted Jib Hoist 1/2 Ton Acco Wright-way Electric Hoist with Pendant Control, 12' Jib Length,
85	Half Ton Wall Mounted Jib Hoist 1/2 Ton Acco Wright-way Electric Hoist with Pendant Control, 12' Jib Length,
86	Half Ton 360 Degree Jib Crane Contrx 360 Degree Jig Crane Equipped with: 1/2 Ton CM Lodestar Electric Hoist with Pendant Control, 9' Jib Length;
87	Shop Fans and Work Lights 5 Fans 2 Lights
88	Spill Kit Cleanup Spill Kit Cleanup
89	Heavy Duty Shop Cabinet Heavy Duty Shop Cabinet
90	Four Wheel Rolling Shop Cart Four Wheel Rolling Shop Cart
91	Shop Shelf Unit with All Contents Shop Shelf Unit with All Contents: Hold Down Kits, Threaded Rod, Collets, Tool Holders,
92	Self Dumping Hopper Self Dumping Hopper
93	Self Dumping Hopper Self Dumping Hopper
94	Shop Miscellaneous Shop Miscellaneous: C Clamps, Hone Tool Head, Tapping Head, Large Drill Tap and Die, Turning Tools, Tin Coated End Mill Set,
95	Contents of Cage Shelf Units Storage Cabinets, Four Drawer Filing Cabinets Office Desk and Bob's Weiner Wagon
96	Wooden Work Table and Miscellaneous Wooden Work Table and Miscellaneous; Drill Chuck, Collets, Threaded Rod,
97	Parts Storage Carousel Parts Storage Carousel
98	Equipto Roller Bearing Storage Cabinet and Contents Equipto Roller Bearing Storage Cabinet and Contents
99	Morris Taper Drill Bits Morris Taper Drill Bits
100	Stock Racks and Miscellaneous Stock Stock Racks and Miscellaneous Stock
101	Crane Mounted Stock Magnet Crane Mounted Stock Magnet
102	Metal Shop Table 29" l X 56" w X 36" h
103	Metal Shop Table Metal Shop Table
104	Two Wheel Dolley Carts Two Wheel Dolley Carts
105	Dorian Tool Post Dorian Tool Post with: 6 Tool Holders and Wrench
106	Sodick CNC Wire EDM Machine Frame Sodick CNC Wire EDM Machine Frame No Control Parts Machine Only, Model A320, Serial Number T6299, New in 1994
107	Lot of Miscellaneous Hand Tools Lot of Miscellaneous Hand Tools: Crescent Wrenches, Open End Box Wrenches, Hammers, Pliers
108	Cleco Air Grinder Cleco Air Grinder
109	Cleco Air Grinder Cleco Air Grinder
110	Cleco Air Grinder Cleco Air Grinder
111	Air Grinder Air Grinder
112	Chicago Pneumatic Chippers Chicago Pneumatic Chippers Quantity (2)
113	Miscellaneous Air Tools Miscellaneous Air Tools: Right Angle Sanders, Drill, Chipper
114	Dynabrade Air Sander Dynabrade Model 11477 Air Sander Serial #14166

Auction - Major Auction of Titan Wheel Off-Road Wheel Manufacturer 12/17/2020 2:54 PM CST

Lot	Title/Description
115	Dynabrade Air Sander Dynabrade Model 11477 Air Sander Serial #11460
116	Right Angle Air Grinder Right Angle Air Grinder
117	Cleco Right Angle Air Grinder Cleco Right Angle Air Grinder
118	Cleco Right Angle Air Grinder Cleco Right Angle Air Grinder
119	Cleco Right Angle Air Grinder Cleco Right Angle Air Grinder
120	Cleco Right Angle Air Grinder Cleco Right Angle Air Grinder
121	Right Angle Air Grinder Right Angle Air Grinder
122	Dyanbrade Right Angle Air Grinder Dyanbrade Right Angle Air Grinder
123	Dyanbrade Right Angle Air Grinder Dyanbrade Right Angle Air Grinder
124	Dyanbrade Right Angle Air Grinder Dyanbrade Right Angle Air Grinder
125	Cleco Right Angle Air Grinder Cleco Right Angle Air Grinder
126	Dynabrade Right Angle Air Grinders Dynabrade Right Angle Air Grinders (2)
127	Electric Portable Band Saw Electric Portable Band Saw
128	Large Metal Round Tables (2) Metal Round Tables
129	Assortment of Letter and Number Stamps Assortment of Letter and Number Stamps
130	Assortment of Electric Power Tools Assortment of Electric Power Tools: Drills, Right Angle Grinder, Jigsaw
131	Skill Rotohammer Skill Rotohammer
132	Weller Soldering Iron and Craftsman Socket Set Weller Soldering Iron and Craftsman Socket Set
133	Milwaukee 7 1/4" Electric Circular Saw Milwaukee 7 1/4" Electric Circular Saw
135	Milwaukee Sawzall Milwaukee Sawzall Serial #631116309
136	Assorted Air Tools Assorted Air Tools: Ingersoll Rand Air Socket Driver (2) Air Drill, Air Sander, Straight Air Tool
137	Large Assortment of Allen Keys Large Assortment of Allen Keys
138	Fire Proof Paint Cabinet Eagle Model 1947 Fire Proof Paint Cabinet 45 Gallon Capacity
139	Goodwin Heavy Duty Vacuum Goodway Model VAC-2 Heavy Duty Vacuum; Serial #: 13815; on Rolling Cart, Vacuum Extension Tubes
140	Maintenance Stores Department Including All Shelving, Furniture, Belts, Bearings, Nuts and Bolts Inventory, Electrical Hardware Inventory, Fuses, Fuse Blocks, Electric Boxes, Die Springs, Hydraulic Cylinders, Motors, Valves, Filters, Sprockets, Gears, Pulleys, Shafts, Electrical Conduit Wiring and Tubing, Plastic Bins
141	12" X 30" Hendey Engine Lathe 12" X 30" Hendey Engine Lathe; Serial #: 30110; 12" Swing over Bed; 10" Swing Over Cross Slide, Center Distance: 30"; Spindle Speeds: 19-598 RPM; Threads Per Inch: 1 1/2-80 TPI; 1 1/2" Spindle Hole; Equipped with: Steady Rest, Four Way Tool Post, 10" Four Jaw Chuck, Taper Attachment;
142	Bardons and Oliver No.5 Universal Turret Lathe Bardons and Oliver No.5 Universal Turret Lathe; Serial #: 18106; 18" Swing Over Bed; Spindle Speeds: 38-1025 RPM; 30" Max Spindle Face to Turret Face; A1 Spindle Nose; 2" Spindle Bore; Equipped with: 10" Three Jaw Chuck, Low High Speed Range, Coolant;
143	Vertical Milling Machine Bridgeport Base, Serial #11148339; Equipped with: 2 HP DoALL Vertical Variable Speed Milling Head; 9" X 42" Table; Spindle Speeds: 60-4200 RPM; Equipped with: One Shot Lube, 5" Milling Vise on Rotary Fixture, Worklights, Forward Reverse Switch, Three Spare Draw Bars
144	Jet Drilling and Milling Machine Jet Model 16 Drilling and Milling Machine, Serial #38233; 9"X23" Table; 1 1/4 Drilling Capacity ; 2 HP; 2120 Max RPM; Equipped with: 5" Vise with Rotary Fixture
145	DoALL Drill Press DoALL Drill Press; Model D-15100; Serial # 48-940; 11" X 14" Table;
146	Wilson Drill Press Wilton 2530 Drill Press; Serial #254057; 10" X 10" Table;

Lot	Title/Description
147	Miscellaneous Shop Machines Baldor Dual End Bench Grinder 1/2 HP with lighted Eye Shields, Dual End Carbide Grinder, Severit Cutoff Saw
148	Work Bench With Shop Machines Work Bench With Shop Machines: Baldor Dual End Bench Grinder, 1/2 HP with Lighted Eye Shield; Milwaukee Electric Cutoff Saw; Rack and Contents;
149	Miller Load Bank Serial #LC021135, Max Amps 750 at 50 Volts,
150	71" Colburn Twin Ram Vertical Boring Mill 71" Colburn Twin Ram Vertical Boring Mill; Serial #E5055; 24" Vertical Ram Stroke; 84" Max Distance Between Rams; 80" Max Swing; 42" Max Height Under Rail; 25 HP Motor,
151	Jet Horizontal Bandsaw Jet Model MBS1014W-3 Horizontal Bandsaw; Serial # 100070228; Equipped: Mitering, 5' Outboard Roller Conveyer
152	Ridgid Pipe Threader Ridgid Model 535 Pipe Threader; Serial # 403428; 115 Volt; Equipped 811A Thread Chasing Attachment, 500B Bolt Die Attachment, Pipe Cutoff Attachment, New 1"-2" NPT Right Hand Thread Chasers, Foot Pedal;
153	Miller Delta-Fab DC Welding Power Source Miller Delta-Fab DC Welding Power Source; Serial #: LH190559C; 230/460/575 V Input, Amps 69/35/28 Input, 17.6 KW Input, Equipped with: Miller 24A Wire Feed, Rolling Cart, Welding Mask, One Welding Gun;
154	Miller Spectrum 1250 DC Plasma Cutting System Miller Spectrum 1250 DC Plasma Cutting System; Serial #: LA 269503; 200/230/460 V Input, Amps 85.1/74/37, On Rolling Cart with Cables
156	Manual H Frame Hydraulic Press Manual H Frame Hydraulic Press
157	Shop Built 1 1/2" Belt Sander Shop Built 1 1/2" Belt Sander
158	MSC Vertical Bandsaw MSC Model 951468 Vertical Bandsaw; Serial #: 836104; 20" X 22" Table, 14" Throat Depth, Equipped with: Blade Welder/Grinder, Blade Cutoff, Push Button On Off;
159	Dual End Pedestal Grinder Queen City Model 4-F Dual End Pedestal Grinder; Serial #: 264691, 2HP, 2" Wide Wheel Capacity;
160	Parker Hose Crimping Machine Parker Hose Crimping Machine; With Spare Dies;
161	Central 28" Bench Type Hand Brake 22GA Capacity Central 28" Bench Type Hand Brake 22GA Capacity
162	Parker Hannifin Bench Type Hydraulic Tube Bender Parker Hannifin Model 632 Bench Type Hydraulic Tube Bender; Serial #: 908; Equipped with: Greenlee Hydraulic Unit, 8 Spare Rotary Dies, Longtube Attachment;
163	Knaack Portable Job Box and Contents Knaack Portable Job Box and Content
164	Machinery Skates Box Machinery Skates Box
165	Metal Workbench with Large Vise Air Tools Pipe Vise Metal Workbench with Large Vise Air Tools, Pipe Vise
166	Koike Sanso Kogyo Flame Cutter Equipped with: Variable Speed, Clockwise Counter/Clockwise Rotation, 24" X 72" Grate Table,
167	Rotating Jib Crane Handling Systems 1/2 Rotating Jib Crane With CM Lodestar 1/2 Ton Electric Hoist with Pendant
168	Husqvarna Gas Powered Concrete Saw Husqvarna Gas Powered Concrete Saw; Model FS400LV
169	Hydraulic Power Pack Hydraulic Power Pack with Hydraulic Jack
170	Hydraulic Power Pack Hydraulic Power Pack with Hydraulic Jack
171	Hydraulic Power Pack Hydraulic Power Pack
172	Hydraulic Power Pack Hydraulic Power Pack with Hydraulic Jack
173	Miscellaneous Hydraulic Jacks Miscellaneous Hydraulic Jacks
174	Gast Hydraulic Pump Model 6AM-NRV-11A Hydraulic Power Supply; Serial #: 0678; Hytorque Hydraulic Wrench and Aro Dual Vane Pump
175	Turning Tools, Carbide Inserted Turning Tools, Carbide Inserted
176	Turning Tools, Carbide Inserted Turning Tools, Carbide Inserted
177	Turning Tools, Carbide Inserted Turning Tools, Carbide Inserted

Auction - Major Auction of Titan Wheel Off-Road Wheel Manufacturer 12/17/2020 2:54 PM CST

Lot	Title/Description
178	Turning Tools, Carbide Inserted Turning Tools, Carbide Inserted
179	Lot of Carbide Inserts Lot of Carbide Inserts
180	LS Starrett Machinist Level LS Starrett Machinist Level
181	Assorted Hand Tools Assorted Hand Tools, Sledge Hammers, Pipe Wrenches, Tube Cutters, BF Wrench
182	Shop Meter Systems Digital Thermometer, OHM Meter, Mega OHM Meter, 2 Sunnen Master Holders
183	150 Ton Verson Model 8 1/2-H Horn Press 150 Ton Verson Model 8 1/2-H Horn Press; Serial #: 8616; 2" Stroke of Slide; 4" Slide Adjustment; 15" Shut Height From Top of Bed; 19 1/2" L to R X 16" F to B Ram Area; Equipped with: Air Clutch, Inch/Run Control; Trabon Lube System;
184	90 Ton USI Clearing Horn Type Press 90 Ton USI Clearing Horn Type Press; Serial #: 54-9046; 3" Stroke; 12" Shut Height; 4" Slide Adjustment; 60 SPM; 17" L to R X 15" F to B Ram Area; Equipped with: Air Clutch, Dual Palm Button, Inch/Run Control
185	500 Ton USI Clearing Model HG-500-12-12 Hydraulic Horn Press 500 Ton USI Clearing Model HG-500-12-12 Hydraulic Horn Press; Press Job #11-5221; 6" Stroke of Slide; 8 1/2" Shut Height; 20" L to R X 14" F to B Ram Area; Equipped with: Trabon Lube, Dual Palm Button, Auto/Manual/Inch Control;
186	Swift Ohio Ring Butt Welder Swift Ohio Ring Butt Welder; 12" Diameter Cylinder Piston; Equipped with: Manual and Auto Clamp and Unclamp, Forward Reverse Platen Jog, Auto Flush, Auto Weld, Platen Jog Run, Automation International Incorporated Weld Controller, Dual Foot Pedal,
187	Automation International Weld Planisher Automation International Weld Planisher; Serial #: 50464, 480 Input Volts, 75 HP Hydraulic Unit, Dual Palm Buttons, Auto Slash Jog Control, Foot Pedal, 78.5 Head End Piston Area, 58 Rod End Piston Area
188	Automation International Weld Planisher Automation International Weld Planisher; Serial #50535, 480 Input Volts, 75 HP Hydraulic Unit, Dual Palm Buttons, Auto Slash Jog Control, Foot Pedal, 78.5 Head End Piston Area, 58 Rod End Piston Area, Slide Cylinder 10" Piston Diameter, Trim Cycle 7" Diameter Piston
189	Air Over Hydraulic Horizontal Bulldozer Air Over Hydraulic Horizontal Bulldozer
190	500 Ton USI Clearing Model HG-500-12-12 Hydraulic Horn Press 500 Ton USI Clearing Model HG-500-12-12 Hydraulic Horn Press; Press Job #11-5220; 6" Stroke of Slide; 8 1/2" Shut Height; 20" L to R X 14" F to B Ram Area; Equipped with: Trabon Lube, Dual Palm Button, Auto/Manual/Inch Control;
191	500 Ton USI Clearing Model HG-500-12-12 Hydraulic Horn Press 500 Ton USI Clearing Model HG-500-12-12 Hydraulic Horn Press; Press Job #11-5222; 6" Stroke of Slide; 8 1/2" Shut Height; 20" L to R X 14" F to B Ram Area; Equipped with: Trabon Lube, Dual Palm Button, Auto/Manual/Inch Control;
192	500 Ton USI Clearing Model HG-500-12-12 Hydraulic Horn Press USI Clearing Model HG-500-12-12 Hydraulic Horn Press; Press Job #11-5337; 6" Stroke of Slide, 16 1/2" Shut Height, 20" L to R X 14" F to B Ram Area; Equipped with: Trabon Lube, Dual Palm Button, Auto/Manual/Inch Control
193	200 Ton USI Clearing Model 200 P-701-0BS Open Back Horn Press 200 Ton USI Clearing Model 200 P-701-0BS Open Back Horn Press; Serial #: 54-2302; 4" Stroke; 17" Shut Height; 5" Slide Adjustment; 30 Strokes per Minute; 28" L to R 46" F to B; Equipped with: Air Clutch, Dual Palm Buttons, Trabon Lube, Rockford SSC 1500 Part Revolution Control, Inch/Single/Continuous Control, Push Button Ram Raise/Lower;
194	GY Angle Bending Roll GY Angle Bending Roll; 100 HP, 20" Main Roll Diameter; 8" X3 Auxiliary Roll Diameters; Dual Palm Button, Trabon Lube
195	90 Ton Verson Model 7 Horn Press 90 Ton Verson Model 7 Horn Press; Serial #: 13835; 3" Stroke; 11" Shut Height; 3 1/2" Slide Adjustment; 37 Strokes per Minute; 12" L to R X 16" F to B Ram Area; Equipped with: Air Clutch, Dual Palm Buttons, Link Model Omniliink 805 Press Control; Model 5100 Serial #: 1176; One Shot Lube
196	300 Ton Verson Model 300-HD-1H Hydraulic Horn Press 300 Ton Verson Model 300-HD-1H Hydraulic Horn Press; Serial #: 13819; 6" Stroke, 10 1/2" Shut Height; 2500 PSI Max Pressure; 13 1/2" L to R X 13 1/2" F to B Ram Area; Equipped with: Dual Palm Buttons;
197	Verson Hydraulic Horn Press Verson Hydraulic Horn Press; 30" Main Ram Diameter; 20" L to R X 14" F to B Ram Area;

Lot	Title/Description
198	200 Ton USI Clearing OBS Horn Press 200 Ton USI Clearing OBS Horn Press; Serial #: 54-2230; 4" Stroke; 12" Shut Height; 5" Slide Adjustment; 30 Strokes per Minute; 30" L to R X 26" F to B Ram Area; Equipped with: Air Clutch, Dual Palm Buttons
199	Bliss No. 77H Horn Press 12" F to B X 15" L to R Ram Area; Equipped with: Air Clutch, Trabon Lube;
200	Verson Hydraulic Horn Press Verson Hydraulic Horn Press; 30" Main Ram Diameter; 20" L to R X 14" F to B Ram Area; Equipped with: Dual Palm Buttons
202	Blastec Blast Cleaning Machine Consisting of: Load Conveyor. 20" Blast Cabinet Blast Cabinet Blow Off Abrasive Removal Systems Automatic abasive recovery and handling system. Unload Conveyor. 20" Dust Collector. Model 20D 20,000 CFM Air Volume Type of work: To clean and descale structural shapes, tubing, flat bars and plates. Max Work Piece 5" high x 72" wide
203	Bliss No. 28 OBI Punch Press Serial #: H47787-HP33863; Equipped with: Air Clutch, Inch/Auto Control; Cushion, In Board Out Board Roller Conveyor
204	Ransome Model 5P Welding Positioner Ransome Model 5P Welding Positioner; Serial #: 1320520; 500 Lbs Capacity; Equipped with: 10 Inch 3 Jaw Chuck
205	Worthington Rollair Air Compressor Worthington Rollair Air Compressor; Equipped with: Air Recieving Tank, Ingersoll Rand Model HG750 Air Dryer;
206	Ingersoll Rand SSR-XF150 Air Compressor XF150 Air Compressor; Equipped with: Air Recieving Tank, Ingersoll Rand Model HG750 Air Dryer
207	Cincinnati Mechanical Press Brake Cincinnati Mechanical Press Brake; Model 5x8 Serial #: 14618; Capacity at bottom of stroke: 135 ton, Capacity at mid stroke: 90 ton, Overall length of bed and ram: 10', Distance between housings: 8' 6", Stroke: 3", Ram adjustment: 5", Throat depth: 8", Shut height (str down adjust. up): 12", Strokes per minute: 35, Distance floor to bed: 32", Motor: 10 HP, Approximate overall dimensions: 12'2" LR x 6' 1" FB x 8'10" H, Approximate weight: 16,200 lbs. Equipped with: Dual Palm Buttons, Trabon Lube, Inch/Run Control, Air Clutch;
208	Horizontal Hydraulic Bulldozer Horizontal Hydraulic Bulldozer; 36" I X 9" h X 16" w Ram Area, 6" Ram Diameter, 12" Ram Stroke,
209	GY Hydraulic Angle Bending Roll GY Hydraulic Angle Bending Roll; 16" Main Roll Diameter; 9" X 3" Auxiliary Roll Diameter; Equipped with: Dual Palm Button, Jog/Manual Control, Push Button Adjust Open Close, Mezzanine And Hydraulic System Included;
210	GY Hydraulic Angle Bending Roll GY Hydraulic Angle Bending Roll; 16" Main Roll Diameter; 9" X 3" Auxiliary Roll Diameter; Equipped with: Dual Palm Button, Jog/Manual Control, Push Button Adjust Open Close, Mezzanine And Hydraulic System Included;
211	Toledo No 77 Mechanical Horn Press 14" L to R X 13" F to B Ram Area; Equipped with: Minster Clutch, Air Clutch, Foot Pedal, Single Palm Button;
212	French Oil Mill Hydraulic Horn Press French Oil Mill Hydraulic Horn Press; 9 1/2" L to R X 11" F to B Ram Area; Equipped with: Dual Palm Buttons
213	Mechanical Horn Press 11" L to R X 9" F to Back Ram Area; Equipped with: Air Clutch, Dual Foot Pedals
214	300 Ton Verson Model 300-HD-1H Hydraulic Horn Press 300 Ton Verson Model 300-HD-1H Hydraulic Horn Press; Serial #: 13818; 6" Stroke; 10 1/2" Shut Height; 2500 PSI Max Pressure; 13 1/2" L to R X 13 1/2" F to B Ram Area; Equipped with: Dual Palm Buttons
215	200 Ton Verson No. 200-HD1-66 Straight Side Hydraulic Press 200 Ton Verson No. 200-HD1-66 Straight Side Hydraulic Press: 14" Ram Diameter; 42" X 60" Ram Area, Equipped with: Link Lite Black Max Light Curtain Safety Device, Inch/Run Control, Dual Palm Button, Trabon Lube
216	Grotnes Coiler Model: 4RBW50 Bullwheel spindle diameter 6.75" Lower center fixed spindle diameter 4" Lower outside adjustable spindles diameter 3.5" Max Force recommended 50,000 lbs Bullwheel Spindle Adj Vertical 8" Bullwheel spindle Adj Angular +/- 1-1/2 degrees Lower Outside spindle, feed inside vertical 4.75" Lower Outside spindle, exit side vertical 4.75" Lower Outside Spindle, exit side angular +/- 1-1/2 degrees Power Stroke of Bullwheel spindle 5" Spindle Speed 78 RPM Max Hydraulic Pressure: Spindle Drive 1600 PSI Spindle Lift 1200 PSI Spindle Power Stroke 600 PSI Dual Palm Button Stand
217	300 Ton Verson Hydraulic Horn Press 300 Ton Verson Hydraulic Horn Press; 30" Diameter Ram; Equipped with: Foot Pedal

Auction - Major Auction of Titan Wheel Off-Road Wheel Manufacturer 12/17/2020 2:54 PM CST

Lot	Title/Description
218	Swift Ohio Ring Butt Welder Swift Ohio Ring Butt Welder;12" Diameter Cylinder Piston;Equipped with:Manual and Auto Clamp and Unclamp,Forward Reverse Platen Jog,Auto Flush,Auto Weld,Platen Jog Run,Weldtronic Type N1H-1200 Weld Control,Dual Foot Pedal,
219	Automation International Hydraulic Planisher Automation International Hydraulic Planisher;Serial #50356;Equipped with:Dual Palm Buttons,One Shot Lube,
220	Verson 300 Ton Hydraulic Horn Press Verson 300 Ton Hydraulic Horn Press; 30" Diameter Ram; Equipped with: Foot Pedal;
221	Swift Ohio Ring Butt welder Swift Ohio Ring Butt welder;12" Diameter Cylinder Piston;Equipped with:Manual/Auto Clamp and Unclamp,Forward Reverse Platen Jog,Auto Flush,Auto Weld,Platen Jog Run,Weldtronic Type N1H-1200 Weld Control,Dual Foot Pedal,Automation International Control
222	International Automation Weld Planisher International Automation Weld Planisher;Dual Palm Button,Foot Pedal,Hydraulic System,
223	Swift Ohio Weld Planisher Swift Ohio Weld Planisher;8" Clamp Cylinder Piston Diameter;5" Slide Cylinder Diameter;
224	Swift Ohio Weld Planisher Swift Ohio Weld Planisher;10" Clamp Cylinder Piston Diameter;6" Slide Cylinder Diameter;Equipped with: Dual Foot Pedals;
225	Swift Ohio Weld Planisher Swift Ohio Weldplanisher;Serial #50400;10" Clamp Cylinder Piston Diameter;6" Slide Cylinder Diameter;Equipped with: Dual Foot Pedals;
226	Queen City Dual End Pedestal Grinder Queen City Dual End Pedestal Grinder
227	Grotnes Ring Former Grotnes Ring Former; 8" Arbor Diameter; Equipped with: Dual Palm Buttons, Jog Run Control, Dwelling Control;
228	GY Mechanical Expander GY Mechanical Expander;30" Collapsed Ring Diameter,Equipped with Foot Pedal;
228a	Grotnes Circumpress (Shrinker) Model 12-7-HC-460-12S/N C-4170-AMax Width Component Part: 20"Min Width Component Part: 3"Max Nominal Diameter Rim: 51"Min Nominal Diameter Rim: 29"Max Thickness Flat Band Component Part: 3/4"Hydraulic Unit(1) 100 HP, 1800 RPM, 3 Ph, 60 Hz, 445 US, TEFC Frame(2) 75 HP, 1800 RPM, 3 Ph, 60 Hz, 444 US, TEFC FrameSystem Pressure: Circumpress 3000 PSI Max, Automation 1300 PSISystem Delivery: Circumpress 267 GPM, Automation 57 GPMDimension of MachineNumber of Jaws: 12Diametral Collapse of Jaws: 7"Nominal Shruck Jaw Diameter: 55"Adjustment form Nominal Shruck Dia> +5/16, -5/8Jaw Height: 20"Diameter of Pressure Ring: 113"Overall Height of Machine: 144 1/2"
228b	Grotnes Circumpress (Shrinker) Model 12-8-HC-900-12S/N C-3461-AMax Width Component Part: 20"Min Width Component Part: 3"Max Nominal Diameter Rim: 57"Min Nominal Diameter Rim: 33"Max Thickness Flat Band Component Part: 1"Hydraulic Unit(1) 150 HP, 1800 RPM, 3 Ph, 60 Hz, 445 US, TEFC Frame(2) 75 HP, 1800 RPM, 3 Ph, 60 Hz, 444 US, TEFC FrameSystem Pressure: Circumpress 3000 PSI Max, Automation 1300 PSISystem Delivery: Circumpress 267 GPM, Automation 57 GPMDimension of MachineNumber of Jaws: 12Diametral Collapse of Jaws: 8"Nominal Shruck Jaw Diameter: 75"Adjustment form Nominal Shruck Dia> +5/16, -5/8Jaw Height: 20"Maximum Cross-sectional Area That Can Be Formed (basis 50,000 PSI Tang. Stress) 13 in.2Diameter of Pressure Ring: 135"Overall Height of Machine: 164 1/2"
229	French Oil Mill Hydraulic Horn Press French Oil Mill Hydraulic Horn Press; Order #44293, Machine #6733, Equipped with: Dual Palm Buttons, Trabon Lube;
230	Hydraulic Rim Roller Hydraulic Rim Roller; 8" Arbor Diameter, Equipped with: Dual Palm Button
231	300 Ton HPM Hydraulic Straight Side Press 300 Ton HPM Hydraulic Straight Side Press; Serial #45-164; 24" Ram Stroke; 60" L to R X 42" F to B; Equipped with: Dual Palm Button, Black Max Safety Light Curtain, Outboard Roller Conveyor;
232	Swift Ohio Ring Butt welder Swift Ohio Ring Butt welder;12" Diameter Cylinder Piston;Equipped with:Manual and Auto Clamp and Unclamp,Forward Reverse Platen Jog,Auto Flush,Auto Weld,Platen Jog Run,Weldtronic Type N1H-1200 Weld Control,Dual Foot Pedal,Automation International Control;
233	500 Ton Hydraulic Horn Press 500 Ton HPM Hydraulic Horn Press;Serial # 57-15;14" L to R X 14" F to B Ram Area;Equipped with: Dual Palm Buttons;
234	Verson Hydraulic Horn Press Verson Hydraulic Horn Press; 30" Diameter Ram; 10" L to R X 14" F to B Ram Area; Equipped with: Dual Palm Buttons;

Lot	Title/Description
235	Verson Hydraulic Horn Press 300 Ton Verson Hydraulic Horn Press; 30" Cylinder Diameter; Equipped with: Dual Palm Buttons;
236	Mechanical Rim Roller Mechanical Rim Roller ;8" Diameter Arbor;Equipped with: Dual Palm Button;
237	Clearing H500-72- 78 Straight Side Hydraulic Press Clearing H500-72- 78 Straight Side Hydraulic Press;72" X 48" Bed Size,40" Ram Diameter;Equipped with:Dual Palm Buttons,Linklite Black Black Max Safety Curtain
238	750 Ton HPM Hydraulic Straight Side Press 750 Ton HPM Model 57-1 Hydraulic Straight Side Press;30" Stroke,60" X 60" Bed;57" L to R 42" F to B Ram;
239	USI Clearing H-1200-60-48 Hydraulic Straight Side Press USI Clearing H-1200-60-48 Hydraulic Straight Side Press;60" X 48" Bed,Equipped with: Dual Palm Buttons,
240	Elwell-Parker 25,000 lbs. Electric Die Handler Elwell-Parker Model E21N415-25SER Die Handler;Serial #26091;Type E, 36 Volt,25,000 lbs. capacity at 36" Load Center,74" Max Lift Height,38" X 64" Lift Die Area,Includes Hobart Battery Mate Battery Charger
241	Elpar Elwell-Parker 30,000 lbs. Electric Die Handler Elpar Elwell-Parker 30,000 lbs. Model E21-415-30 Electric Die Handler; Serial #24341; Type E, 36 Volt, 50" X 70" Die Area, Equipped with Green Energy Multifrequency Battery Charger
242	Verson No. 8 H Mechanical Horn Press Verson No. 8 H Mechanical Horn Press; Serial #4482; 20" L to R X 18" F to B Ram Area; Equipped with: Dual Palm Buttons, One Shot Lube, Link Omnilink 805 Press Control Serial #280;
243	French Oil Mill Hydraulic Horn Press French Oil Mill Hydraulic Horn Press; 9 1/2" L to R X 13 1/2" F to B Ram Area; Equipped with: Dual Palm Buttons;
244	Verson Mechanical Horn Press Verson Mechanical Horn Press ; 20" L to R X 18" F to B Ram Area; Equipped with: Trabon Lube, Dual Palm Buttons, Link Omnilink 805 Press Control Serial #306;
245	150 Ton Verson Mechanical Horn Press 150 Ton Verson Model 8-1/2- H Mechanical Horn Press; Serial #13826; 4" Stroke; 4" Ram Adjustment; 11" Shut Height; 19 1/4" L to R X 16" F to B Ram Area; Equipped with: Rockford SSC-1500 Press Control Package, Dual Palm Buttons, Inch Single Continuous, Air Clutch
246	300 Ton Verson Model 300-HD-1H Hydraulic Horn Press 300 Ton Verson Model 300-HD-1H Hydraulic Horn Press; Serial #13820; 6" Stroke; 10 1/2" Shut Height; 2500 PSI Max Pressure; 13 1/2" L to R X 13 1/2" F to B Ram Area; Equipped with: Dual Palm Buttons;
247	Bliss Mechanical Horn Press Bliss Mechanical Horn Press; 19" L to R X 16" F to B Ram Area; Equipped with: Air Clutch, Dual Palm Buttons, Trabon Lube;
248	200 Ton Danly C Frame OBI Punch Press 200 Ton Danly C Frame OBI Punch Press; Serial #20053760266; 10" Stroke; 23" Shut Height; 4" Ram Adjustment; 25 Strokes Per Minutes; Equipped with: 22 Ton Die Cushion, 5" Stroke, 24" Diameter; Air Clutch, Triad Brake Monitor, Loadgard, Dual Palm Buttons;
249	200 Ton Federal Hydraulic Straight Sided Press 200 Ton Federal Hydraulic Straight Sided Press;72" X 120" Bolster,72" X 120" Ram Area;Equipped with:Dual Palm Buttons,Trabon Lube,Rolling Bolster;
250	300 Ton Verson Model 300-HD-1H Hydraulic Horn Press 300 Ton Verson Model 300-HD-1H Hydraulic Horn Press; Serial #5177; 6" Stroke; 13 1/2" Shut Height; 2500 PSI Max Pressure; 14" L to R X 16" F to B Ram Area; Equipped with: Dual Palm Buttons
251	Akron Standard Four Post Hydraulic Press Akron Standard Four Post Hydraulic Press;Machine Number 566,Serial #141952;60" L to R Between Posts X 32" F to B Between Posts;
252	HPM Hydraulic Straight Side Press HPM Hydraulic Straight Side Press; 34" X 46 1/2" Bed Area, 10" Ram Cylinder Diameter, Equipped with: Fastra Verse System, Dual Palm Buttons;
253	Welding Cell Welding Cell Consisting of Yoder Welding Manipulator,5' X 11' Capacity,Aaronson Welding Positioner,30" X 30" Platen Area,Lincoln Idealarc DC 600 Welder,Lincoln NA-5 Weld Control,Invincible Model 382 Air Flow System,Plymo Vent Exhaust Collector
254	Welding Cell Welding Cell Consisting of Yoder Welding Manipulator,5' X 11' Capacity,Aronson Welding Positioner,30" X 30" Platen Area,Lincoln Idealarc DC 600 Welder,Lincoln NA-5 Weld Control,
255	Welding Cell Welding Cell Consisting of Yoder Manipulator:Serial #YM2986-64-2;6' x 12' Capacity;Pandjiris Welding Positioner Model 120-12AB Serial #18807E00,12,000 lbs. Capacity,54" X 54" Platen Area;Lincoln Idealarc DC 600 Welder,Lincoln NA-5 Weld Control

Auction - Major Auction of Titan Wheel Off-Road Wheel Manufacturer 12/17/2020 2:54 PM CST

Lot	Title/Description
256	Aronson Welding Dual Boom Manipulator Aronson Model 2G6VRA7.2VLS Welding Dual Boom Manipulator;Serial #77326;72" Arm Travel;100" Rail Travel;Equipped with:2 Lincoln Idealarc DC 1500 Welders ,Dual Lincoln NA-5 Weld Controls,Dual Torch Head
257	Aronson Welding Dual Boom Manipulator Aronson Model 2G6VRA7.2VLS Welding Dual Boom Manipulator;72" Arm Travel;100" Rail Travel;Equipped with 2 Lincoln Idealarc DC 1500 Welders ,Dual Lincoln NA-5 Weld Controls,Dual Torch Head
258	Shop Built Horizontal Bulldozer Shop Built Horizontal Bulldozer; Equipped with: Linklite Black Max Safety Curtains
259	Shop Built Chamfering Mill Shop Built Chamfering Mill
260	Hydraulic Rollover Unit Hydraulic Rollover Unit
261	Aronson Tank Turning Rolls Aronson Tank Turning Rolls
262	(3) Invincible Flux Collectors 3 Invincible Flux Collectors
263	King 62" Vertical Turret Lathe; King 62" Vertical Turret Lathe; 62" Table Diameter; 68" Maximum Swing; Equipped with: Tilting Ram and Turrent Head, Side Head, Pendant Control;
264	56" Bullard CNC Vertical Turret Lathe 56" Bullard CNC Vertical Turret Lathe;Serial # 33509;Table Diameter 56"Maximum Swing 70"Max. Height Under Rail 44"Turret Stroke 30-3/8"Table Speeds 1.7-300 RPMRetro Fit GE Fanuc 18T 40 HP 16 Position Tool Changer,Henning Chip Coveyer,Trabon Lube,75 HP Motor;
265	72" King Vertical Turret Lathe 72" King Vertical Turret Lathe; Table Size 72" Max. Swing 79" Height Under Rail 60" Max Height Under Tool Holder 70-1/2" 40 HP Equipped with:Tilted Ram and Turret Heads, Trabon Lube,
266	72" Giddings and Lewis Vertical Turret Lathe 72" Giddings and Lewis Vertical Turret Lathe; Serial #550-6-55, Table Size 72" Max. Swing 75" Table Speed 12 To 333 Rpm Height Under Rail 60" Rail Travel 60" Equipped with: Two Swiveling Ram Heads, Pendant Control, 40 HP Motor
267	6' x 17" Carlton Radial Arm Drill 6' x 17" Carlton Radial Arm Drill; Equipped with: Power Clamping, Forward and Reverse on Spindle, Spindle Speeds 15-1500 RPM;
268	6' x 15" Carlton Radial Arm Drill 6' x 15" Carlton Radial Arm Drill; Equipped with: Spindle Speeds 12-1200, Power Head and Column Clamp, Rapid Head Traverse, Rapid Arm Elevation, Plain Box Table, Coolant
269	56" Bullard CNC Vertical Turret Lathe 56" Bullard CNC Vertical Turret Lathe: Serial #32109; Table Diameter 56" Maximum Swing 70" Max. Height Under Rail 44" Turret Stroke 30-3/8" Table Speeds 1.7-300 RPM GE Fanuc 18T 40 HP Equipped with Two Ram Heads, Pendant Control
270	42" Bullard Cutmaster Vertical Turret Lathe: 42" Bullard Cutmaster Vertical Turret Lathe: Serial #27924; Table Diameter 42" Max Swing 54" Height under ram 40" RPM 5.1-150 Equipped with: Side Head, Five Position Turret Head, Four Jaw Chuck, 30 HP Motor;
271	Fröreip CNC Vertical Turret Lathe Fröreip CNC Vertical Turret Lathe;table diameter 70.92"maximum swing 78.7"max turning height 70.92"Four Jaw Chuck 5 Position Turret Fagor Control
272	Gray CNC Vertical Turret Lathe Gray CNC Model: Ring Master Vertical Turret Lathe; Year: 1977 Table Diameter 60" Max Swing 68" Height under ram 51" Load Capacity 70,000 lbs RPM 4.8-287 Table Drive 75 HP Equipped With: 4-Jaw Power Chuck Flood Coolant System Chip Conveyor Thread Cutting Fanuc 18-T CNC Control 5 Position Turret and Side Head
273	42" Bullard Cutmaster Vertical Turret Lathe 42" Bullard Cutmaster Vertical Turret Lathe; Serial #27420; Table Diameter 42" Max Swing 54" Height under ram 40" RPM 5.1-150 Equipped with: Side Head, Five Position Turret Head, Four Jaw Chuck, 30 HP Motor;
274	42" Bullard Cutmaster Vertical Turret Lathe 42" Bullard Cutmaster Vertical Turret Lathe; Serial #27340; Table Diameter 42" Max Swing 54" Height under ram 40" RPM 5.1-150 Equipped with: Side Head, Five Position Turret Head, Four Jaw Chuck, 30 HP Motor,

Lot	Title/Description
275	HNK Hankook Model: 16/20 CNC Vertical Boring Mill HNK Hankook Model: 16/20 CNC Vertical Boring Mill Serial #98225; Year:1998 Table diameter 63? Maximum swing 78.7? Max turning height 63? Table: table speeds (2 steps) 1 to 250 rpm Maximum load on table 17,600 lbs Table drive motor 50/60 hp Minimum indexing degree (c-axis) 0.001 degree Ram head: horizontal travel (x-axis) 82.7? vertical travel (z-axis) 35.4? ram size 7.9? x 7.9? cross rail: vertical travel 29.5? Fanuc 18T CNC Control;
276	CT 50 Taper Tool Holders and Rolling Storage Carts CT 50 Taper Tool Holders and Rolling Storage Carts (39) Count
277	Nordson Electrostatic Paint Booth and Versa-Spray II Paint Control System Nordson Electrostatic Paint Booth and Versa-Spray II Paint Control System, Model XL 2002 Diagram #P98-543C-05, Pass Through Paint Booth, 10 Spray Guns, Pass Through Part Dimension 41 1/2" X 86", Equipped with Nordson Surecoat Manual Gun,
278	Nordson Model CL Pass Through Paint Booth 42"X 84" Pass Through Dimensions, Equipped with Versa Coat Paint Gun Control, Manual Paint Gun (2), Filtration System
279	BGK Infrared Pass Through Bake Oven BGK Infrared Pass Through Bake Oven;Max Part Dimension 53" w X 91" h,Allen Bradley Panel View 550 Controller,Electric Fired Infra-red BurnersAdjustable Heater Module Frame - 21"
280	Wet Spray Booth Wet Spray Booth Including Two Wet Spray Pots, Explosive Proof Lights and Paint Storage Cabinet, Paint Mixer, 84 1/2" x X 106" h
281	JR Greene Parts Washing System JR Greene Parts Washing System; Serial #783S; 5,750,000 BTU, 5 Stage, 54" X 78" Max Part Dimensions, Protecral Protection Control
282	JR Greene Dry Off Oven JR Greene Dry Off Oven; Serial #7834; 2,000,000 BTU, Eclipse Digital Temp Readouts,
283	Ace Burn Off Oven For Paint Racks Ace Parts Oven;58" X 60" X 68" Digital Temperature Control,12 Hour Timer,Honeywell Readout;
284	Wash and Rinse Line Wash and Rinse Line: 84" Pass Through Width,
285	Wet Spray Paint Booth Including Crane System Free Standing Crane System Including 2 M15 5 Ton Overhead Bridge Cranes, 12' Span, 50' Longitudinal Traverse, Pendant Control, Booth Dimensions 15' X 45'
286	3 Fire Proof Paint Storage Cabinets and Paint Shaker 3 Fire Proof Paint Storage Cabinets and Paint Shaker
287	Reliable 1/2 Ton Free Standing Jib Crane Reliable 1/2 Ton Free Standing Jib Crane With Harrington 1/2 Ton Electric Hoist with Pendant
288	Motoman Robotic Welder Motoman Robotic Welder; 3 axis, Yasnac ERC Control, Hobart Mega-mig 300 Welder
289	10,000 lbs. Coil Upender 10,000 lbs. Coil Upender
290	Verson Model 110 OBI Punch Press 110 Ton Verson Model 110 OBI Punch Press; Serial # 23868; 8" Stroke; 18" Shut Height; 5" Ram Adjustment; Equipped with: Variable Speed 30-60 Strokes per Minute Bolster 32"X27", Dual Palm Button Operator Station, Inch/Single/Continuous Triad Brake Monitor
291	Verson Mechanical OBI Press Verson Mechanical Horn Press;16" F to B X 19" L to R Ram Area;Equipped with:Inch/Run,Air Clutch,Dual Palm Button;
292	1000 Ton Williams and White Four Post Hydraulic Press 1000 Ton Williams and White Four Post Hydraulic Press:Serial #C4522;52" L to R Between Columns 22" F to B Between Columns,Equipped with Inch/Auto Operation; Trabon Lube;
293	Grotnes Tub Shrink Grotnes Tub Shrink; 20" Inside Ring Diameter
294	Swift Ohio Weld Planisher Swift Ohio Weld Planisher; 30 HP
295	Swift Ohio Rim Butt welder Swift Ohio Rim Butt welder: Serial #1554; 440 Primary Voltage
296	Rim Circle Machine Rim Circle Machine: Equipped with: 30 HP, Single Palm Control
297	Free Standing Crane System Free Standing Crane System With 3 Shaw Box 5 Ton Electric Hoists with Pendant Controls 5 Ton MHS Monorail, 28' Span, 150' Length, Double Girder Construction,
298	Free Standing Crane System Free Standing Crane System Consisting of 3 Ton Shaw Box Electric Hoist with Pendant Control on Monorail, 3 Ton CM Lodestar Electric Hoist with Pendant Control, 28' Span, 90' Traverse
299	Free Standing Crane System Free Standing Crane System Consisting of 3 MHS 2 Ton Monorail with 2 Ton Harrington Electric Hoist with Pendant Control

Auction - Major Auction of Titan Wheel Off-Road Wheel Manufacturer 12/17/2020 2:54 PM CST

Lot	Title/Description
300	Suspended Crane System Suspended Crane System Including: 6 Monorail, 2 One Ton Harrington Electric Hoist with Pendant Control, 2 One ton CM Lodestar Electric Hoist with Pendant, 1 Half Ton Harrington Electric Hoist with Pendant Control, 90' Traverse 12'Span
301	Suspended Crane System Suspended Crane System Including: 15' Span 90' Traverse, 3 Monorail, Half Ton Harrington Electric Hoist with Pendant Control, Half Ton Yale Electric Hoist with Pendant Control, 1 Ton Harrington Electric Hoist with Pendant Control
302	Free Standing Crane System Free Standing Crane System consisting of Two 5 Ton MHS Monorail, Two 5 Ton Harrington Electric Hoists with Pendant Control 40' Traverse
303	MHS 5 Ton Monorail Bridge Crane MHS 5 Ton Monorail Bridge Crane, 5 Ton Shawbox Electric Hoist with Pendant Control, 48' Span 200' Traverse
304	MHS 5 Ton Monorail Bridge Crane MHS 5 Ton Monorail Bridge Crane, 5 Ton Shawbox Electric Hoist with Pendant Control, 48' Span 200' Traverse
305	1 Ton Abell Howe Free Standing Job Crane 1 Ton Abell Howe Free Standing Job Crane With: 1 Ton CM Air Star Air Hoist,
306	2 Wall Mounted Jib Cranes 2 Wall Mounted Jib Cranes Including: 1/2 Ton and 1 Ton, 1/2 Ton CM Lodestar Electric Hoist with Pendant Control
307	2 Wall Mounted Jib Cranes (2) 1/2 Ton Wall Mounted Jib Cranes, 1/2 Ton CM Airstar Air Hoist
308	Free Standing Jib Crane Free Standing Jib Crane: Including: 1/2 Ton CM Air Star Air Hoist with Pendant Control
309	Free Standing Jib Crane Free Standing Jib Crane Including: 1/2 Ton with 1/2 Budgit Air Hoist
310	Suspended Crane System Suspended Crane System With (2) 1/2 Ton Monorails, (2) 1/2 Ton CM Air Star Air Hoists, 2 Material Magnets;
311	Suspended Crane System Suspended Crane System With a 1 Ton Budgit Electric Hoist and 1/4 Ton Air Hoist
312	Gorbel Suspended Crane System Gorbel Suspended Crane System; 1/2 Ton Capacity Crane Rail (3), (3) 1/2 Ton CM Air Star Air Hoists, 20' X 45'
313	Suspended Crane System Suspended Crane System; 1/2 Ton CM Air Star Air Hoist, Quarter Ton Aro Air Hoist, 1/2 Ton Budgit Air Hoist;
314	Suspended Crane System Suspended Crane System; Double Girder, 1 Ton Harrington Electric Hoist with Pendant,
315	Suspended Crane System Suspended Crane System; (3) Monorails, 1/2 Ton CM Lodestar Electric Hoist with Pendant Control, 1/2 Ton Harrington Electric Hoist with Pendant Control
316	Clark 5000 lbs Capacity Model CGP30 Type G Forklift Clark 5000 lbs Capacity Model CGP30 Type G Forklift; Serial Number P365L849395; 46" Fork Length; Solid Tire, Propane, Rollover Attachment
317	Caterpillar 5,000 lbs Capacity Forklift Model GC30 Caterpillar 5,000 lbs Capacity Forklift Model GC30 Serial #AT86CG1227, Side Shift, 58" Fork Length, Triple Mast, Solid Tire, Propane
318	Mitsubishi Model FGC25K Forklift Mitsubishi Model FGC25K Forklift; Serial #AF82C-02168, 4000 lbs Capacity, Triple Mast, Side Shift, Solid Tire, Propane, 58" Fork Length
319	Mitsubishi Model FGC25K Forklift Mitsubishi Model FGC25K Forklift; Serial #EF82E-00303, 4000 lbs Capacity, Triple Mast, Side Shift, Solid Tire, Propane, 60" Fork Length
320	Caterpillar 5,000 lbs Capacity Forklift Model GC30 Caterpillar 5,000 lbs Capacity Forklift Model GC30 Serial #AT83D01210, Side Shift, 60" Fork Length, Triple Mast, Solid Tire, Propane
321	Free Standing Crane System Free Standing Crane System including: MHS 5 Ton Double Girder Bridge Crane With Five Ton Saw Box Electric Hoist with Pendant, 18' X 45'
322	Tennant Model 255 Riding Floor Sweeper Tennant Model 255 Riding Floor Sweeper; Serial #HD1754, Propane
323	Tennant Model 355 Riding Floor Sweeper Tennant Model 355 Riding Floor Sweeper; Serial #355-4605, Propane
324	(2) Self Dumping Hopper Two Self Dumping Hoppers
325	(4) Self Dumping Hoppers Four Self Dumping Hoppers
326	(3) Self Dumping Hoppers Three Self Dumping Hoppers

Lot	Title/Description
327	(4) Self Dumping Hoppers Four Self Dumping Hoppers
328	Shop Steps Shop Steps
329	Formans Desks and Card File Formans Desks and Card File
330	Caterpillar Model V70D 8,000 lbs Forklift Caterpillar Model V70D 8,000 lbs Forklift; Serial #Z40X01539 Does Not Run
331	Hyster Model H120B Forklift Hyster Model H120B Forklift; Serial #B6D1604D Does Not Run
332	Caterpillar Model TC100D 10,000 Forklift Caterpillar Model TC100D 10,000 Forklift; Serial #5KB04061 Does Not Run
333	Frederick Foot Shear Frederick Foot Shear
334	Diacro Manual Punch Diacro Manual Punch
335	Two Large Round Metal Tables Two Large Round Metal Tables
336	Hyster Model S25XL 3,000 lbs Forklift Hyster Model S25XL 3,000 lbs Forklift; Serial #B010B2664E, Solid Tires, Propane
337	(13) Department Housekeeping Peg Boards (13) Department Housekeeping Peg Boards
338	(8) Material Gondolas 9 Material Gondolas
339	Two Rolling Torch Kits No tank One torch - NO Tank! Tank NOT included;
340	Brooms and Shovels Rolling Cart and Two Wheel Dolley Brooms and Shovels Rolling Cart and Two Wheel Dolley
341	(12) Industrial Fans (12) Industrial Fans
342	(6) Portable Shop Lights 3 Rolling 3 Stationary
343	(3) Shop Ladders (3) Shop Ladders
344	(2) Rolling Four Wheel Carts Two Rolling Four Wheel Carts
345	(2) Shop Ladder One Rolling One Stationary
346	Heavy Duty Rolling Four Wheel Cart Heavy Duty Rolling Four Wheel Cart
347	(5) Four Wheel Rolling Carts 6 Four Wheel Rolling Carts
348	Heavy Duty Rolling Four Wheel Cart Heavy Duty Rolling Four Wheel Cart
349	Marsh Model S 3/4 Stencil Machine Marsh Model S 3/4 Stencil Machine
350	Manual Die Lift Manual Die Lift
351	Contrex Half Ton Free Standing Jib Crane Contrex Half Ton Free Standing Jib Crane; Equipped with: 1/2 Ton CM Electric Hoist
352	Max-O 3 Axis Automatic Horizontal Spindle Surface Grinder Max-O 3 Axis Automatic Horizontal Spindle Surface Grinder; Permanent Magnetic Chuck 6" x 18"; Coolant, 3 Axis Hydraulic, Over the Wheel Dresser
353	Two Forklift Barrel Attachments Two Forklift Barrel Attachments
354	NAPA 200 Amp Battery Charger NAPA 200 Amp Battery Charger
355	Portable Pump Portable Pump
356	Eagle Fire Proof Cabinet Model YPI-47 Eagle Fire Proof Cabinet Model YPI-48
357	Oil and Lubricant Inventory Oil and Lubricant Inventory Including Containment Pallets
358	(2) Shop Ladders Two Shop Ladders
359	CM Lodestar Electric Hoist CM Lodestar Electric Hoist Equipped with: 2 Ton Capacity
360	Spill Containment Pallets Spill Containment Pallets
361	Hercules Forklift Boom Hercules Forklift Boom
362	Duct Work Duct Work
363	1 Lot Spare Motors Lot Spare Motors
364	1 Lot of Electric Motors Quantity

Auction - Major Auction of Titan Wheel Off-Road Wheel Manufacturer 12/17/2020 2:54 PM CST

Lot	Title/Description	Lot	Title/Description
365	Hydraulic Specialist Model V10025 Motor Hydraulic Specialist Model V10025 Motor		
366	Oil Gear Type EHKR-1225-NNH Motor Oil Gear Type EHKR-1225-NNH Motor		
367	Hydraulic Specialists Model 3525 Motor Hydraulic Specialists Model 3526 Motor		
368	Hydraulic Specialists Model 7R 200 Motor Hydraulic Specialists Model 7R 200 Motor; Serial 971165 2500 PSI Rated		
369	Hydraulic Specialists D15025 Motor Hydraulic Specialists D15025 Motor; Serial #103777		
370	Enerpac Hydraulic Bender Enerpac Hydraulic Bender		
371	Enerpac Manual Tube Bender Enerpac Manual Tube Bender With Assorted Dies		
372	(11) Shop Fans (11) Shop Fans		
373	Shop Stairs Quantity 4		
374	Metal Rack Rigging Chains Sheet Lifters Spreader Bars Metal Rack Rigging Chains Sheet Lifters Spreader Bars		
375	Metal Rack Rigging Chains Sheet Lifters Spreader Bars Metal Rack Rigging Chains Sheet Lifters Spreader Bars		
376	Assortment of Welding Equipment Assortment of Welding Equipment		
377	Metal Rack Rigging Chains Sheet Lifters Spreader Bars Metal Rack Rigging Chains Sheet Lifters Spreader Bars		
378	Metal Rack Rigging Chains Sheet Lifters Spreader Bars Metal Rack Rigging Chains Sheet Lifters Spreader Bars		
379	Metal Rack Rigging Chains Sheet Lifters Spreader Bars Metal Rack Rigging Chains Sheet Lifters Spreader Bars		
380	Metal Rack Rigging Chains Sheet Lifters Spreader Bars Metal Rack Rigging Chains Sheet Lifters Spreader Bars		
381	Metal Rack Rigging Chains Sheet Lifters Spreader Bars Metal Rack Rigging Chains Sheet Lifters Spreader Bars		
382	Metal Rack Rigging Chains Sheet Lifters Spreader Bars Metal Rack Rigging Chains Sheet Lifters Spreader Bars		
383	Metal Rack Rigging Chains Sheet Lifters Spreader Bars Metal Rack Rigging Chains Sheet Lifters Spreader Bars		
384	Lot of Spare Electric and Air Hoists Lot of Spare Electric and Air Hoists and Trolley		
385	ESAB Ultragrab Torch ESAB Ultragrab Torch		
386	Lincoln Torpedo Welder Lincoln Torpedo Welder		
387	Lot of Welding Supplies and Heavy Duty Metal Table Lot of Welding Supplies and Heavy Duty Metal Table		
388	Rolling Tool Boxes and Contents Rolling Tool Boxes and Contents		
389	Rolling Tool Boxes and Contents Rolling Tool Boxes and Contents		
390	Utility Flatbed Trailer VIN 1UYFS24868A29250430,000 lbs CapacityNew January 2007,48' Trailer Length;Tool Storage Unit		
393	Hyundai Model B12530152JSA Van Type Trailer VIN 3H3V532C91T08216930,000 lbs Capacity, New November 2000, 53'; Double Swing Door		
394	Wabash SA-102CW Year 1995VIN 1JJV53289SL292216,53'30,000 lbs Capacity;Double Swing Doors		
395	Peterbilt Semi Tractor Year 2005VIN 1XP5DB9X25N871545Sleeper CompartmentMiles: 1,215,460		
396	5000 Ton USI Clearing Hydraulic Press NOT ON AUCTION - AVAILABLE FOR PRIVATE NEGOTIATIONemail Mike Mike@SurplusAssetAuctions.comor Call 847/922-0029 for additional Information or to discuss pricingModel: H-5000-105-84Specifications:Capacity: 5000 TonBed Area: 105" x 86"Stroke: 60"Daylight: 81"Intermediate Pressing: 1500 tonsStripping: 70 tonsRapid Advance: 535 ipmInt Press @ 1500 tons: 0-47 ipmPress @ 5000 Tons: 0-14.2 ipmReturn Speed: 510 ipm		
397	4000 Ton Danly Hydraulic Presses NOT ON AUCTION - AVAILABLE FOR PRIVATE NEGOTIATIONemail Mike Mike@SurplusAssetAuctions.comor Call 847/922-0029 for additional Information or to discuss pricing(2) AVAILABLEModel: H-4000-92-84Specifications:Capacity: 4000 TonBed Area: 92" x 84"Stroke: 60"Daylight: 81"Intermediate Pressing: 2500/1500 tonsStripping: 75 tonsEjector: 150 tonsEjector stroke: 20"Rapid Advance: 525 ipmInt Press @ 2500 tons: 0-28 ipmInt Press @ 1500 tons: 0-47 ipmPress @ 4000 Tons: 0-17.4 ipmReturn Speed: 502 ipm w/o ejector235 ipm w ejector		